

X266574

SIMSON ISR 70-08 290mL CART.

X266515

SIMSON ISR 70-08 600mL BLK

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product (material) name	SIMSON ISR 70-08	Recommended use	Automotive glazing sealant.
Other names	266574, 266515.		
Supplier	Bostik Australia 51-71 High Street Thomastown VIC 3074 Australia Ph: (03) 9279 9333	Importer / Distributor	GPI Automotive Products Pty Ltd 275 Wellington Road Mulgrave VIC 3170 Australia Ph: (03) 8541 7500
Manufacturer	Bostik.	Emergency	Victorian Poisons Information Centre Ph: 13 11 26 (Australia wide)

SECTION 2: HAZARDS IDENTIFICATION

NON-HAZARDOUS SUBSTANCE		NON-DANGEROUS GOODS	
Hazard Classification	Hazard classification according to the criteria of NOHSC. Dangerous Goods classification according to the ADG Code.		
Risk phrase(s)	N/A	Safety phrase(s)	N/A

SECTION 3: COMPOSITION

Chemical identity	CAS Number	Proportion
Ingredients determined not to be hazardous	-	100%

SECTION 4: FIRST AID MEASURES

Eye Contact	If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.	Skin Contact	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical advice.
Inhalation	Remove victim from exposure – avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.	Ingestion	Rinse mouth with water. If swallowed do NOT induce vomiting. Give a glass of water to drink. Never give anything by mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

SECTION 5: FIRE FIGHTING MEASURES

Suitable extinguishing media	If material is involved in a fire use water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).	Hazards from combustion products	Combustible material.
Precautions for fire fighters and special protective equipment	On burning may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.	HAZCHEM code	N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency procedures N/A

Methods and materials for containment and clean up procedures

Small Spills: Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

Large Spills: Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain – prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of sewers or waterways has occurred advise local emergency services.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Avoid eye contact or repeated or prolonged skin contact.

Conditions for safe storage

Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Keep containers closed when not in use – check regularly for leaks.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

National Exposure Standards

Chemical Name	Synonym	CAS #	TWA (ppm)	TWA (mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Carcinogen Category	Notices
N/A								

Biological limit values

N/A

Engineering Controls

Natural ventilation should be adequate under normal use conditions. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Personal protective equipment



Eye/face protection
Skin protection

Safety glasses.

Overalls, safety shoes, gloves. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment.

Respiratory protection

N/A

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Thick black paste.	Odour	Low.
pH	N/A	Vapour pressure	N/A
Vapour density	N/A	Boiling point / range	N/A
Melting point	N/A	Solubility	Insoluble in water.
Specific Gravity or density	1.4-1.5 t/m ³ (11.7-12.5 lb/gal) @ 20°C	Flammable limits	N/A
Ignition temperature	N/A		

SECTION 10: STABILITY AND REACTIVITY

Chemical stability	This material is thermally stable when stored and used as directed.	Conditions to avoid	Elevated temperatures and sources of ignition.
Incompatible materials	Oxidizing agents.	Hazardous decomposition products	Oxides of carbon and nitrogen, smoke and other toxic fumes.
Hazardous reactions	None known.		

SECTION 11: TOXICOLOGICAL INFORMATION

Health effects from likely routes of exposure			
Eye contact	May be an eye irritant.	Skin contact	Contact with skin may result in irritation.
Inhalation	Material may be irritant to mucous membranes and respiratory tract.	Ingestion	Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.
Other health effects			
No adverse health effects expected if the product is handled in accordance with this MSDS and the product label.			

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity	N/A
Persistence and degradability	N/A
Bioaccumulative potential	N/A

SECTION 13: DISPOSAL CONSIDERATION

Disposal methods	Refer to State/Territory Land Waste Management Authority.	Special precautions for landfill or incineration	N/A
-------------------------	---	---	-----

SECTION 14: TRANSPORT INFORMATION

UN Number	N/A	UN proper shipping name	N/A
Class and Subsidiary risk	N/A	Packing group	N/A
Special precautions for user	N/A	HAZCHEM code	N/A

SECTION 15: REGULATORY INFORMATION

SUSDP Poisons Schedule Number	N/A	AICS (Australia)	Yes.
--------------------------------------	-----	-------------------------	------

SECTION 16: OTHER INFORMATION

Date of preparation or last revision of the MSDS	Last revision: 25/09/2012 By: GPI Assistant Stock Controller	
Key/Legend	ADG Code	Australian Dangerous Goods Code
	AICS	Australian Inventory of Chemical Substances
	°C	degrees Celsius
	CAS	Chemical Abstracts Service
	lb/gal	pounds per gallon
	mg/m³	milligrams per cubic metre
	N/A	Not available / not applicable
	NOHSC	National Occupational Health and Safety Commission
	ppm	parts per million
	STEL	short-term exposure limits
	SUSDP	Standard for the Uniform Scheduling of Drugs and Poisons
	t/m³	metric ton per cubic metre
	TWA	time-weighted average
	UN	United Nations
Literature references	National Occupational Health and Safety Commission, <i>National Code of Practice for the Preparation of Material Safety Data Sheets, 2nd Edition</i> [NOHSC:2011(2003)], AusInfo, Canberra, 2003.	
	National Occupational Health and Safety Commission, <i>Approved Criteria for Classifying Hazardous Substances</i> [NOHSC:1008(1999)], AusInfo, Canberra, 1999.	
	National Occupational Health and Safety Commission, 'Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]', in <i>Exposure Standards for Atmospheric Contaminants in the Occupational Environment: Guidance Note and National Exposure Standards</i> , AusInfo, Canberra 1995.	
	National Occupational Health and Safety Commission, <i>Guidelines for Health Surveillance</i> [NOHSC:7039(1995)], AusInfo, Canberra, 1995.	
Sources for data	Bostik website:	www.bostik.com.au
	GPI Group website	www.gpi.com.au